



FLEX BRUSH

COILABLE SEALING BRUSH



SCHLEGELGIESSE
MADE FOR THE FUTURE

FLEX BRUSH

FEATURES



Flex Brush is the coilable sealing brush that allows maximum versatility from storing to installation. It is the perfect solution for any kind of application, like revolving doors, escalators, garage doors or industrial doors. Available in Polyamide 6 and Polypropylene.



Supplied on reels, meaning no offcut waste.



Flexible backing around curved profiles.



Light weight and reels packaging allow easier stockage.



Available in both Polyamide 6 and Polypropylene.



Supplied in several different brush heights.



Fully recyclable.



High chemical resistance, even in harsh environments.




Different base shapes available upon request.

SAMPLE APPLICATIONS



TECHNICAL DATA




A (mm)	B (mm)	Material	Filament diameter	H (mm)	Packaging (m)
3.5	3.5	Polyamide 6	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
3.5	3.5	Polypropylene	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
4	4	Polyamide 6	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
4	4	Polypropylene	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
4.5	4.5	Polyamide 6	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
4.5	4.5	Polypropylene	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
5	5	Polyamide 6	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300
5	5	Polypropylene	0.15 ÷ 0.18	10 ÷ 50	100 ÷ 300

Different base dimensions available upon request



A GLOBAL PARTNER



SCHLEGELGIESSE

MADE FOR THE FUTURE

GIESSE S.p.A.

Via Tubertini 1, 40054 Budrio (BO), Italia

Tel: +39 051 8850000 • Fax: +39 051 8850001 • email: info.it@schlegelgiesse.com

www.schlegelgiesse.com

U0877001 | 4/2020